



IEEE Xplore[®]

RELEASE 1.5

Welcome to IEEE Xplore[®]

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

Your search matched **22** of **989552** documents.

A maximum of **22** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.
 You may refine your search by editing the current search expression or entering a new one the text box.
 Then click **Search Again**.

amplifier and ((travelling wave) or TWT) and (predistor

Search Again

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 A review of the use of 16-ary QAM transmission for future satellite communications systems

Aghvami, A.H.;

Modems and Codecs for Satellite Communications, IEE Colloquium on , 23 Oct 1
 Page(s): 7/1 -7/7

[\[Abstract\]](#) [\[PDF Full-Text \(300 KB\)\]](#) **IEEE CNF**

2 An algorithm for adaptive predistortion of certain time-varying nonlin high-power amplifiers

Nordsjo, A.E.;

RADAR 2002 , 15-17 Oct. 2002
 Page(s): 469 -473

[\[Abstract\]](#) [\[PDF Full-Text \(337 KB\)\]](#) **IEEE CNF**

3 Parallel adaptive predistortion for RF power amplifier linearization

In-Seung Park; Powers, E.J.; Guanghan Xu;

Global Telecommunications Conference, 1997. GLOBECOM '97., IEEE , Volume: 8 Nov. 1997
 Page(s): 82 -86 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(412 KB\)\]](#) **IEEE CNF**

4 Analysis f n n-linear distorti ns on MC-CDMA

Fazel, K.; Kaiser, S.;

Communications, 1998. ICC 98. Conference Record.1998 IEEE International

Conference on , Volume: 2 , 7-11 June 1998
Page(s): 1028 -1034 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(600 KB\)\]](#) **IEEE CNF**

5 Neural network predistortion technique for digital satellite communic

Ibnkahla, M.;
Acoustics, Speech, and Signal Processing, 2000. ICASSP '00. Proceedings. 2000
International Conference on , Volume: 6 , 5-9 June 2000
Page(s): 3506 -3509 vol.6

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) **IEEE CNF**

6 Application of neural waveform predistortion to experimental TWT da

Bernardini, A.; De Fina, S.;
Electrotechnical Conference, 1991. Proceedings., 6th Mediterranean , 22-24 Ma

Page(s): 468 -471 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) **IEEE CNF**

7 Volterra series based modeling and compensation of nonlinearities in power amplifiers

Tummla, M.; Donovan, M.T.; Watkins, B.E.; North, R.;
Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE Interna
Conference on , Volume: 3 , 21-24 April 1997
Page(s): 2417 -2420 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) **IEEE CNF**

8 An efficient adaptive predistorter for nonlinear high power amplifier satellite communication

Hyun Woo Kang; Yong Soo Cho; Dae hee Youn;
Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE Internationa
Symposium on , Volume: 4 , 9-12 June 1997
Page(s): 2288 -2291 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE CNF**

9 A broadband linearizer f r Ka-band satellite c mmunicati n

Zhang, W.-M.; Yuen, C.;

Microwave Symposium Digest, 1998 IEEE MTT-S International , Volume: 3 , 7-June 1998

Page(s): 1203 -1206 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) **IEEE CNF**

10 Input adaptive linearizer system

Katz, A.; Guida, A.; Dorval, R.; Dragone, J.;

Microwave Symposium Digest., 2000 IEEE MTT-S International , Volume: 3 , 11 June 2000

Page(s): 1499 -1502 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(344 KB\)\]](#) **IEEE CNF**

11 Pre-distorted amplifiers for OFDM in wireless indoor multimedia communications

Kuipers, M.; Prasad, R.;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. 2 IEEE 51st , Volume: 1 , 15-18 May 2000

Page(s): 395 -399 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) **IEEE CNF**

12 Adaptive Volterra-based predistorter design for RF high power ampl

Anding Zhu; Brazil, T.J.;

High Frequency Postgraduate Student Colloquium, 2001. 6th IEEE , 9-10 Sept.

Page(s): 100 -105

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) **IEEE CNF**

13 Intermodulation Analysis of FDMA Satellite Systems Employing Compensated and Uncompensated TWT's

Saleh, A.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 30 Issue May 1982

Page(s): 1233 -1242

[\[Abstract\]](#) [\[PDF Full-Text \(856 KB\)\]](#) **IEEE JNL**

14 An adaptive data predistorter for compensation of nonlinear distorti

OFDM systems

Won Gi Jeon; Kyung Hi Chang; Yong Soo Cho;

Communications, IEEE Transactions on , Volume: 45 Issue: 10 , Oct. 1997

Page(s): 1167 -1171

[\[Abstract\]](#) [\[PDF Full-Text \(136 KB\)\]](#) **IEEE JNL**

15 A data predistortion technique for the compensation of nonlinear distortion in MC-CDMA systems

Jaehyun Jeon; Yoan Shin; Sungbin Im;

Signal Processing Advances in Wireless Communications, 1999. SPAWC '99. 199

IEEE Workshop on , 9-12 May 1999

Page(s): 174 -177

[\[Abstract\]](#) [\[PDF Full-Text \(332 KB\)\]](#) **IEEE CNF**

16 An efficient approach to optimal data predistorter design for satellite with filtering and noise in the uplink

Lim, J.-H.; Krogmeier, J.V.; Gelfand, S.B.;

Communications, 1999. ICC '99. 1999 IEEE International Conference on , Volum 6-10 June 1999

Page(s): 1063 -1068 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) **IEEE CNF**

17 Improved data predistortion and trellis coded modulation for the bandlimited nonlinear satellite link

Lim, J.-H.; Gelfand, S.B.; Krogmeier, J.V.;

MILCOM 2000. 21st Century Military Communications Conference Proceedings , Volume: 2 , 22-25 Oct. 2000

Page(s): 1089 -1093 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(464 KB\)\]](#) **IEEE CNF**

18 On the performance of CDMA systems with nonlinear amplifier and A

Conti, A.; Dardari, D.; Tralli, V.;

Spread Spectrum Techniques and Applications, 2000 IEEE Sixth International Symposium on , Volume: 1 , 6-8 Sept. 2000

Page(s): 197 -202 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(504 KB\)\]](#) **IEEE CNF**

19 Intermodulation in klystrons and TWTs*Wilsen, C.B.; Lau, Y.Y.; Chernin, D.P.; Tchou, P.M.; Gilgenbach, R.M.;*Pulsed Power Plasma Science, 2001. IEEE Conference Record - Abstracts , 17-2
2001

Page(s): 283

[\[Abstract\]](#) [\[PDF Full-Text \(64 KB\)\]](#) **IEEE CNF**

20 An application of MMSE predistortion to OFDM systems*Di Benedetto, M.-G.; Mandarini, P.;*

Communications, IEEE Transactions on , Volume: 44 Issue: 11 , Nov. 1996

Page(s): 1417 -1420

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) **IEEE JNL**

21 On compensating nonlinear distortions of an OFDM system using an efficient adaptive predistorter*Hyun Woo Kang; Yong Soo Cho; Dae Hee Youn;*

Communications, IEEE Transactions on , Volume: 47 Issue: 4 , April 1999

Page(s): 522 -526

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) **IEEE JNL**

22 An analytical framework for CDMA systems with a nonlinear amplified AWGN*Conti, A.; Dardari, D.; Tralli, V.;*

Communications, IEEE Transactions on , Volume: 50 Issue: 7 , July 2002

Page(s): 1110 -1120

[\[Abstract\]](#) [\[PDF Full-Text \(481 KB\)\]](#) **IEEE JNL**

L Number	Hits	S arch Text	DB	Time stamp
3	138	amplifi r and (travel\$4 adj1 wav) and (predistortion or (pre-distortion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:25
4	500	330/\$.ccls. and (travel\$4 adj wave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:25
5	145	amplifier and ((travel\$4 adj1 wave) or TWT) and (predistortion or (pre-distortion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:32
6	514	330/\$.ccls. and ((travel\$4 adj wave) or TWT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:26
7	697	amplifier and ((travel\$4 adj wave) or TWT)	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:26
8	54	amplifier and ((travel\$4 adj wave) or TWT) and distortion	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:27
9	18	amplifier and ((travel\$4 adj wave) or TWT) and (predistortion or (pre-distortion))	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:31
10	2	amplifier and ((travel\$4 adj wave) or TWT) and (predistortion or (pre-distortion)) and temperature	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:31
11	53	amplifier and ((travel\$4 adj1 wave) or TWT) and (predistortion or (pre-distortion)) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:33

L Number	Hits	Search Text	DB	Time stamp
-	138	amplifier and (travel\$4 adj1 wave) and (pr distortion or (pre-distortion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:25
-	500	330/\$.ccls. and (travel\$4 adj wave)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:25
-	145	amplifier and ((travel\$4 adj1 wave) or TWT) and (predistortion or (pre-distortion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:32
-	514	330/\$.ccls. and ((travel\$4 adj wave) or TWT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:26
-	697	amplifier and ((travel\$4 adj wave) or TWT)	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:26
-	54	amplifier and ((travel\$4 adj wave) or TWT) and distortion	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:27
-	18	amplifier and ((travel\$4 adj wave) or TWT) and (predistortion or (pre-distortion))	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:31
-	2	amplifier and ((travel\$4 adj wave) or TWT) and (predistortion or (pre-distortion)) and temperature	EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:31
-	53	amplifier and ((travel\$4 adj1 wave) or TWT) and (predistortion or (pre-distortion)) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:57